

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****Product name:** RESIFLEX 401 GP 60 PUTTY ACTIVATOR COMPONENT**Product code:** 401**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC1: Adhesives, sealants. PC9a: Coatings and paints, thinners, paint removers. PC9b: Fillers, putties, plasters, modelling clay. PC32: Polymer preparations and compounds. PROC1: Use in closed process, no likelihood of exposure PROC2: Use in closed, continuous process with occasional controlled exposure PROC3: Use in closed batch process (synthesis or formulation) PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises PROC5: Mixing or blending in batch processes for formulation of preparations\* and articles (multistage and/or significant contact) PROC8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC8b: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring PROC19: Hand-mixing with intimate contact and only PPE available ERC2: Formulation of preparations\* ERC3: Formulation in materials ERC5: Industrial use resulting in inclusion into or onto a matrix ERC6d: Industrial use of process regulators for polymerisation processes in production of resins, rubbers, polymers

**1.3. Details of the supplier of the safety data sheet****Company name:** Resimac Ltd

Unit B, Park

Barn Estate,

Station Rd

Topcliffe,

Thirsk

YO73SE

United Kingdom

**Tel:** +44 (0) 1845 577498**Fax:** +44 (0) 1845 577498**Email:** info@resimac.co.uk

# SAFETY DATA SHEET

RESIFLEX 401 GP 60 PUTTY

Page: 2

## 1.4. Emergency telephone number

**Emergency tel:** +44 (0) 1845 577498  
(office hours only)

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

### 2.2. Label elements

**Classification under CLP:** This product has no classification under CLP.

**Label elements:** This product has no label elements.

### 2.3. Other hazards

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

**PBT:** This product is not identified as a PBT/vPvB substance.

#### Hazardous ingredients:

DIPROPYLENEGLYCOL DIBENZOATE - REACH registered number(s): 01-2119529241-49

EINECS	CAS	PBT / WEL	CLP Classification	Percent
248-258-5	27138-31-4	-	Aquatic Chronic 3: H412	1-25%

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

**Inhalation:** Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

**Immediate / special treatment:** Not applicable.

[cont...]

# SAFETY DATA SHEET

RESIFLEX 401 GP 60 PUTTY

Page: 3

## 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

## 5.3. Advice for fire-fighters

**Exposure hazards:** In combustion emits toxic fumes.

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

### 6.2. Environmental precautions

### 6.3. Methods and material for containment and cleaning up

**Environmental precautions:** Do not discharge into drains or rivers.

**Clean-up procedures:** Wash the spillage site with large amounts of water.

### 6.4. Reference to other sections

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Reference to other sections:** Refer to section 8 of SDS.

**Handling requirements:** Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Specific end use(s):** No data available.

**Workplace exposure limits:** No data available.

### DNEL/PNEC Values

**Hazardous ingredients:**

[cont...]

# SAFETY DATA SHEET

RESIFLEX 401 GP 60 PUTTY

Page: 4

## DIPROPYLENEGLYCOL DIBENZOATE

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	0.0037 mg/l	-	-
PNEC	Marine water	0.00037 mg/l	-	-
PNEC	Aqua Intermittent	0.037 mg/l	-	-
PNEC	Fresh water sediments	1.49 mg/kg	-	-
PNEC	Marine sediments	0.149 mg/kg	-	-
PNEC	Soil	1 mg/kg	-	-
PNEC	Microorganisms in sewage treatment	10 mg/l	-	-
DNEL	Dermal	170 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	35.08 mg/m3	Workers	Systemic
DNEL	Dermal (repeated dose)	10 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation (repeated dose)	8.8 mg/m3	Workers	Systemic
DNEL	Dermal	80 mg/kg bw/day	General Population	Systemic
DNEL	Inhalation	8.7 mg/m3	General Population	Systemic
DNEL	Oral	80 mg/kg bw/day	General Population	Systemic
DNEL	Dermal (repeated dose)	0.22 mg/kg bw/day	General Population	Systemic
DNEL	Inhalation (repeated dose)	8.69 mg/m3	General Population	Systemic
DNEL	Oral (repeated dose)	5 mg/kg bw/day	General Population	Systemic

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protective device with particle filter.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Ensure all engineering measures mentioned in section 7 of SDS are in place.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Paste

**Colour:** Yellow

**Odour:** Barely perceptible odour

**Evaporation rate:** No data available.

**Oxidising:** No data available.

**Solubility in water:** Reacts with water.

**Viscosity:** Highly viscous

**Boiling point/range°C:** No data available.

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

**upper:** No data available.

**Flash point°C:** No data available.

[cont...]

# SAFETY DATA SHEET

RESIFLEX 401 GP 60 PUTTY

Page: 5

**Autoflammability°C:** No data available.

**Relative density:** 1.00 - 1.05

**VOC g/l:** No data available.

**Part.coeff. n-octanol/water:** No data available.

**Vapour pressure:** No data available.

**pH:** No data available.

## 9.2. Other information

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Other information:** No data available.

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

### 10.3. Possibility of hazardous reactions

**Chemical stability:** Stable under normal conditions.

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### DIPROPYLENEGLYCOL DIBENZOATE

DERMAL	RAT	LD50	>2000	mg/kg
DUST/MIST	RAT	4H LC50	>200	mg/l
ORAL	RAT	LD50	3914	mg/kg

**Toxicity values:** No data available.

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

[cont...]

# SAFETY DATA SHEET

RESIFLEX 401 GP 60 PUTTY

Page: 6

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

#### DIPROPYLENEGLYCOL DIBENZOATE

ALGAE	72H EL50	4.9	mg/l
ALGAE	72H NOELR	1.0	mg/l
DAPHNIA	48H EL50	19.3	mg/l
FISH	96H LC50	3.7	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

**Bioaccumulative potential:** No bioaccumulation potential.

**Mobility:** No data available.

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Waste code number:** 08 05 01

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

[cont...]

# SAFETY DATA SHEET

RESIFLEX 401 GP 60 PUTTY

Page: 7

## 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.