

Version No: 1037/101/version3

Date: 14th January 2015

Supercedes: 13th November 2013

PRODUCT NAME: RESICHEM 553 FR MEMBRANE
MANUFACTURER: RESIMAC LTD, UNIT B, PARK BARN ESTATE, STATION ROAD,
TOPCLIFFE, THIRSK, YO7 3SE, UNITED KINGDOM
TELEPHONE NUMBER: +44 (0) 1845 577498
EMAIL: info@resimac.co.uk

EMERGENCY TELEPHONE NUMBER: +44 (0) 1845 577498

THIS PRODUCT IS A KIT AND SUPPLIED AS A MULTI PART PRODUCT WHICH CONSISTS OF A BASE COMPONENT AND ACTIVATOR COMPONENT. THIS DOCUMENT CONTAINS THE MSDS FOR BOTH BASE AND ACTIVATOR COMPONENTS.

DISCLAIMER: The information supplied in the MSDS is correct at the time of writing and date of issue. No warranties, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for particular purpose or course of performance or usage of trade. The user of the material is responsible for ensuring the suitability of this product for application.

Date of issue: 14th January 2015

Document Number 1037/101/version 3:

Resimac Ltd

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE, North Yorkshire, United Kingdom

Tel: +44 (0) 1845 577498

Email: info@resimac.co.uk

Web: www.resimacsolutions.co.uk

Version No: 1037/101/version3

Date: 14th January 2015Supercedes: 13th November 2013**SECTION 1: Identification of Substance/ Preparation and Company****1.1 Product identifier****RESICHEM 553 FR MEMBRANE****1.2 Relevant identified uses of the substance or mixture and uses advised against**

Water based single component acrylic paint

1.3 Details of the supplier of the safety data sheet

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE

Tel: +44 (0) 1845 577498

Email: info@resimac.co.uk

1.4 Emergency telephone number

+44 (0) 1845 577498 (9am to 5pm)

SECTION 2: Hazards Identification**2.1 Classification of the substance or mixture**

Classification in accordance with the Dangerous Preparations Directive 1999/45/EC

Skin Sensitiser: Category 1A

2.2 Label elements

Labelling in accordance with the Classification Labelling and Packaging Regulation EC (no) 1272/2008

Pictograms:



Signal Word:

WARNING**Precautionary statements: P202: Do not handle until all safety precautions have been read and understood.****P280: Wear protective gloves/protective clothing/eye protection/face protection .****P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.****Remove contact lenses, if present and easy to do. Continue rinsing.****P310: Immediately call a doctor****2.3 Other hazards**

None

Resimac Ltd

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE, North Yorkshire, United Kingdom

Tel: +44 (0) 1845 577498

Email: info@resimac.co.uk

Web: www.resimacsolutions.co.uk

Version No: 1037/101/version3

Date: 14th January 2015Supercedes: 13th November 2013**SECTION 3: Composition/ Information on Ingredients****3.1 Substances**

Not applicable, product is a mixture.

3.2 Mixtures

Contains the following hazardous components above thresholds of concern:

Hazardous Components	Cas Number	%	Classification according to Regulation (EC) No 1272/2008	Classification according to Directive 67/548/EEC
Non Hazardous Materials		80-90%	N/A	N/A
Zinc Phosphate	7779-90-0	1-10%	N/A	N/A

See section 16 for full description of R phrases and H statements.

SECTION 4: First Aid Measures**4.1 Description of first aid measures***Summon immediate medical assistance after contact with skin, eyes, inhalation or ingestion***Eye:** Flush eyes with plenty of running water for 15 minutes, whilst gently holding the eyelids open. If signs/symptoms persist seek medical attention.**Skin:** Remove product and contaminated clothing and wash area with water, seek medical advice.**Ingestion:** Drink plenty of water, DO NOT INDUCE VOMITING. If you feel unwell get medical attention**Inhalation:** Remove patient to fresh air. Seek medical advice.**4.2 Most important symptoms and effects, both acute and delayed***Eye Contact:* Sign/ Symptoms Contact with eyes during product use is not expected to result in significant irritation*Skin Contact:* Sign/ Symptoms Contact with the skin during product use is not expected to result in significant irritation.*Inhalation:* Sign/ Symptoms This product may have a characteristic odour, however no adverse health effects are anticipated.*Ingestion:* Signs/ Symptoms may include**4.3 Indication of any immediate medical attention and special treatments needed**

Symptomatic treatment as required

SECTION 5: Fire Fighting Measures**5.1 Extinguishing media**

Ignition will give rise to class B Fire, in case of fire use Water sprays, Dry chemical, CO2 or Alcohol foam

Resimac Ltd

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE, North Yorkshire, United Kingdom

Tel: +44 (0) 1845 577498

Email: info@resimac.co.ukWeb: www.resimacsolutions.co.uk

Version No: 1037/101/version3

Date: 14th January 2015Supercedes: 13th November 2013**5.2 Special hazards arising from the substance or mixture**

May generate toxic, irritating or flammable combustion products, including nitrogen oxides. Combustion in an oxygen starved environment produces toxic products including nitriles and amides. Sudden reaction and fire may result if mixed with an oxidizing agent.

5.3 Advice for fire fighters

Wear Self-contained breathing apparatus, rubber boots, gloves and body suit

SECTION 6: Accidental Release Measures**6.1 Personal precautions, protective equipment and emergency procedures**

Remove all unnecessary personnel from the area. Ventilate the area if possible. Wear suitable protective clothing including chemical resistant gloves and coveralls. If vapour concentrations are high, respiratory protective equipment may be required. See section 8 for more information.

6.2 Environmental precautions

Prevent entry into sewers and watercourses. If product enters sewers or watercourses, inform the appropriate environmental authorities.

6.3 Methods and materials for containment and clearing up

Scrape up and transfer into a suitable container. Wash area with water.

6.4 References to other sections

Refer to section 5, 8 and 13 for protective Measures and Disposal.

SECTION 7: Handling and Storage**7.1 Precautions for safe handling**

Avoid contact with skin, eyes and clothing. Handle in well ventilated area. Wash hands after contact.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well ventilated area.

7.3 Specific end uses(s)

No industrial or sector specific guidance available.

Version No: 1037/101/version3

Date: 14th January 2015Supercedes: 13th November 2013

SECTION 8: Exposure Controls/ Personal Protection

8.1 Control parameters

No data available

8.2 Exposure controls

Engineering controls	Adequate ventilation should be provided.
Respiratory:	Self-contained breathing apparatus must be available in case of emergency
Hand Protection	Impermeable gloves
Skin Protection:	Avoid Skin Contact; use disposable coveralls
Eye Protection:	Avoid Eye Contact; use safety goggles meeting the requirements of BS EN166 3, when handling this product
Environmental Exposure controls	Take suitable measures to prevent entry into drains, sewers and watercourses.

SECTION 9: Physical/ Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	White Viscous liquid
Odour:	Characteristic
Density:	1.25g/ml

9.2 Other information

None.

SECTION 10: Stability And Reactivity

10.1 Reactivity

Not considered to be a reactive product

10.2 Chemical stability

Stable

10.3 Possibility of hazardous reactions

Hazardous Polymerisation is not likely to occur.

10.4 Conditions to avoid

Excessive heat.

10.5 Incompatible materials

Oxidising agents – cleaning solutions. Acids.

Resimac Ltd

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE, North Yorkshire, United Kingdom

Tel: +44 (0) 1845 577498

Email: info@resimac.co.uk

Web: www.resimacsolutions.co.uk

Version No: 1037/101/version3

Date: 14th January 2015Supercedes: 13th November 2013

- 10.6 Hazardous decomposition products**
In combustion emits toxic toxic

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

Sensitisation	Hazardous calculated ROUTE DRM
---------------	--------------------------------

SECTION 12: Ecological Information

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

- 12.1 Toxicity**
No data available

- 12.2 Persistence and degradability**
No data available

- 12.3 Bioaccumulative potential**
No data available

- 12.4 Mobility in soil**
Readily absorbed into soil

- 12.5 Results of PBT and vPvB assessment**
None of the components are known to be PBT or vPvB.

- 12.6 Other adverse effects**
None known.

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

In uncured state, dispose as chemical waste in accordance with local regulations. Waste from this product may present long term environmental hazards. Thus landfill sites must be considered less acceptable than incineration.

Resimac Ltd

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE, North Yorkshire, United Kingdom

Tel: +44 (0) 1845 577498

Email: info@resimac.co.uk

Web: www.resimacsolutions.co.uk

Version No: 1037/101/version3

Date: 14th January 2015Supercedes: 13th November 2013

In cured state when mixed correctly with the base component, dispose as solid waste
Empty containers should be disposed of as chemical waste.

SECTION 14: Transport Information

General: Transport and labelling requirements will alter depending on the size of the packaging. Please refer to local transport regulations.

	ADR	IMDG	ICAO
14.1 UN Number	Classed as non-hazardous	Classed as non-hazardous	Classed as non-hazardous
14.2 UN Proper shipping name			
14.3 Transport hazard class(es)			
14.4 Packing group			
14.5 Environmental hazards			
14.6 Special precautions for user			
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable	Not applicable	Not applicable

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

All components are listed as existing substances in Europe

All components are listed, or are exempt from listing on the TCSA Inventory

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

SECTION 16: Other Information

Revision information:

Reformatted in accordance with Regulation 453/2010 and Regulation 1272/2008.

List of Abbreviations used in this SDS:

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulation (EC) no 1272/2008

DSD Dangerous Substances Directive 67/548/EEC

Resimac Ltd

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE, North Yorkshire, United Kingdom

Tel: +44 (0) 1845 577498

Email: info@resimac.co.uk

Web: www.resimacsolutions.co.uk

Version No: 1037/101/version3

Date: 14th January 2015Supercedes: 13th November 2013

DPD Dangerous Preparations Directive 1999/45/EC
EC European Community/Commission
PBT Persistent, Bioaccumulative and Toxic
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) no 1907/2006
vPvB very Persistent, very Bioaccumulative

References:

ECHA Classification and Labelling inventory
ECHA database of disseminated registration dossiers
Supplier's Safety Data Sheets

Method used for classification of mixtures:

Ingredient based approaches

P Phrases and H Statements used in Section 3

P202: Do not handle until all safety precautions have been read and understood.

P280: Wear protective gloves/protective clothing/eye protection/face protection .

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a doctor

Training requirements for workers

No special training requirements.

Resimac Ltd

Unit B, Park Barn Estate, Station Road, Topcliffe, Thirsk, YO7 3SE, North Yorkshire, United Kingdom

Tel: +44 (0) 1845 577498

Email: info@resimac.co.uk

Web: www.resimacsolutions.co.uk